		2022 JUL 1 FH4:18
CERTIFICATION  e Consumer Confidence Report (CCR) has been prepared and distribution method(s) based on population served. Furthermore, I certify that ution method(s) based on population served. Furthermore, I certify that ution method(s) based on population served. Furthermore, I certify that ution method on served. Furthermore, I certify that ution served and I	Distributed via U.S. Postal Service  Distributed via E-mail as a URL  (Provide direct URL):  Distributed via Email as an attachment  Distributed via Email as text within the body of email message  Posted in public places (attach fist of locations or list here)  Provide direct URL):  Provide direct URL):	C.44 84 Lumber For Print Public Water System Name  0370005  List PWS ID #s for all Community Water Systems included in this CCR  CCR DISTRIBUTION (Check all boxes that apply)  INDIRECT DELIVERY METHODS (Attach copy of publication, water bill or other)  Advertisement in local paper (Attach copy of advertisement)  Don water bill (Attach copy of bill)  Email message (Email the message to the address below)  Other (Describe:  Other (Describe:
ted to its customers in accordance with the information contained in the repoutfills all CCR requirements of the Cocultills all CCR requirements of the Cocultills all CCR requirements of the Cocultility Date  TIS @msdh.ms.gov	DATE ISSUED  ALL attachment	DATE ISSUED  THE PROOF OF PROOF

9 .

## 2021 Annual Drinking Water Quality Report ATER SUPPLY City of Lumberton PWS ID # 0370005 June 2022 June 2022

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source consists of 3 wells that draw from the Miocene Aquifer.

A source water assessment has been completed for the water supply to determine the overall susceptibility of its drinking water to identify potential sources of contamination. The water supply for the City of Lumberton received a moderate to higher susceptibility ranking to contamination.

We're pleased to report that our drinking water meets all federal and state requirements,

If you have any questions about this report or concerning your water utility, please contact Keenon C. Johnson at 601-543-2679. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the 1<sup>st</sup> Tuesday of each month at Lumberton City Hall at 6:00 pm.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1<sup>st</sup> to December 31, 2021. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

				TEST R	ESULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Co	ntamina	ants			111			
13. Barium	N	2019*	0.0041	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
20. Chromium	N	2019*	4.82	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
21. Copper	N	1/1/18 to 12/31/20*	0.1	None	ppm	1.3	AL=1	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
23. Fluoride	N	2019*	0.198	None	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
24. Lead	N	1/1/18 to 12/31/20*	1.0	No Range	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	52000	No Range	ppb	0	250000	Road salt, water treatment chemicals, water softeners and sewage effluents
Disinfectant	s & Dis	infectant	By-Pro	ducts				
83. Chlorine	N	1/1/21 to 12/31/21	1.20	0.79 to 1.78	ppm	4	4	Water additive used to control microbes
84. Haloacetic Acids HAA5	N	2021	1.79.58	No Range	ppb	0	60	By-product of drinking water disinfection
85. TTHM [Total trihalomethanes]	N	2018*	11.99	No Range	ppb	0	80	By-product of drinking water disinfection

<sup>\*</sup> Most recent sample results available

## **Additional Information for Lead**

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ

transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

This report is being published in the paper ane will not be mailed. Please call our office if you have any questions.

THE STATE OF MISSISSIPPI, LAMAR COUNTY, FORREST COUNTY Personally appeared before me, the undersigned person, representing The PineBelt NEWS, aweekly newspapers published in Lamar County and Forrest County, Mississippi, who, being duly sworn, says that the notice, a true copy of which is hereto arroxed, appeared in the issues of said newspapers as follows:

Published 2 Amt. 1 Amt. 2 Amt. 8 Amt. 8 Amt. 8 Amt. 1 Amt. 1 Amt. 1	Substal Printer's Fac: 1776.00	Tate 5th Published:	Jate 4th Published:	Date 3rd Published	Date 2nd Published: Jun 30	Dote 1st Published: Jun 23	Total # of Words. 4×12	
	1776.0	Amt _	Annt:	Amt:	Amt: 864.00	Amt: 864.00	Published 2 fimes	

Subtotal Printer's Fee: 1776.00

Proof of Publication Fee: 3.00

101AL: 1779.00

(signed) Magnitum Patter

Swom to and subscribed before me in my Presence, this day of June 2022, a Notary Public in and for the County of Lamar, State of Mississippi.

and for the Country of Lamar, State of Mississippi.

(signed) fulfourne to Mussissippi.

D POP sens				☐ File Noise.	□ 6m P. □	FOR OFFI
POP sein Out S	mf Receimisaton Expires	O'CIL/MINEH BULLOCK	W. 081.5:0:	File None CON TO Leggerton - Water Quality		FOR OFFICE USE ONLY:

Our water source consists of 3 walls that from from the Michaele A

A source water assessment has been completed for the water, supply to date more the nortal executibility of its denoting water to identify potential courses or conturbation. The water supply for the City of fundamental received a replacation to the page susceptibility randing to excitamination.

We've plussed to report that our drinking water meets of federal and state requirements

If you have any questions about this report of concerning your water utility, please contact. Keepow C. Johnson or 601. 543-2679. We want our valued customers to be informed about their value unity. If you want to learn more please altered my of our regularly scheduled meetings. They are held on the let theselay of cuch morehalt Limberton City Half at 1600 pm.

We reutiliely monitor for constituents in your drinking water according to reduce and State laws. This table shows the results of our monitoring for the period of samplay list to December 31, 2021. As water travels over the

to this table you will find many t familiar with To help you better o following definitions:

Action Level - the concentration to the requirement of other requirement of other requirement of the require

Treatment Technique (TT) - I

Treatment Technique (TT) - A intended to reduce the level of a

Maximum Contaminant Level highest level of a contaminant to set as close to the MCLBs as for technology.

Maximum Contaminant Leve contaminant in drinking water risk to health. MCLBs allow for a new contaminant of the contaminant of

TEST RESULTS    Collision   Co	CARCING CARC		Tiener.	N COLEMA	- 1	Market 1	li contis available		tribak-py-thuries)
TEST RESULTS	Sur.	80	9	ppb	No Range	11.99	20102	2	AGIA HAAS 85 TIMM
TEST RESULTS	disinfection	8	0	ppb	No Range	9.56	2021	Z	84. Halpacetic
TEST RESULTS	microhes			med	0110	025			A CHARLES
TEST RESULTS	AND COMMISSION OF THE PARTY OF				division in	THU CHES			
TEST RESULTS   Test	Openically where softeness and	Susuc	9	pho	No Harage	52000	Acribe	ż	Sodana
TEST RESULTS	NUMBER		0		No Range	10	Challed	N	Zd. Lend
TEST RESULTS	1080	255	or the						
TEST RESULTS   TEST RESULTS   TEST RESULTS   TEST RESULTS   Testing of Detected   Dete	Po	DAGII	144	(ppin	Nong	8610	2019*	R	23, Fluorida
TEST RESULTS   Test   Ramps of Detects   Unit   MCIG   MCI	natural deposits; leaching fr awood preservatives wood preservatives						12/51/20*	100	21. Coppe
Visidation Date:  Visidation Date:  Visidation Date:  Visidation Date:  Visidation Date:  California Determined Conference of a Conference of	Corrosion of household	VI-1	1.3	ppm	None	1.0	06.81/7/1	z	Townson and
TEST RESULTS  Violation Date Calbested Peterics of a of Samples Measurement McLo MCI Calbridge Calbridge Measurement Measureme	mills; erosion of natural dep		100	ppb	No Range	4.82	2019*	z	20. Chromium
TEST RESULTS  Treated Range of Detects Usis MCIG MCI are # or \$ or \$ support Measurement Exercising MCLACL	crusion of natural depoents	13		P	No Kango	0.0041	2019*		13, Barium
Vicinition Date Level Ramps of Detects Unit MCIO MCI.  Proceeding Detected Co. Surplies Measurement Exceeding MCI.ACI.	Discharge of drilling method refiners	1	3				ints	ntamina	Inorganic Co
	and the second s				Bangs of Detects or # of Samples Executing MCLIACL	Level Deterried	Oshociad	N/N Applicate	
	They solute of came	1	3508	DEG.	TEST RI				THE PERSON NAMED IN

## Additional information for Lead

If pessent, obserted levels of keal can cause estimas leadth problems, or present obserted levels of keal can cause estimas health problems, and complete the action of the first and borns plumbing. Our sever system is expectated with sported lines and borns plumbing. Our sever system is expectated with sported lines and borns plumbing. Our sever system has been string for several linus, plumbing components. When your system has been string for several linus, plumbing components. When your system has been string for several linus, plumbing components. When your system has been string or cooking. If you are society to 2 minutes before usily water has been string or cooking. If you are society to 2 minutes before usily water to disting or cooking. If you was response to be a minute water by your may wish to have your water spincemes about lead on trinking water testing more than a self-contact of the substance is a paintly aboratory offers lead testing.

Sales Department of Health Pathic Health (aboratory offers lead testing) of the contact of the St. Fig. 1 you wish in layer your water testing.

An equippes of divining water are subject to potential contamination and the subject to potential contamination which were the subject to potential contamination and the subject to the subject to the subject to the subject to potential contamination and the subject to th

substances. All disining water, including tended water may reason experted to contain at legs, small-annuints of some containment presence of containments and places and purposes a final to it. Many fiftees not necessarily interest that the powers a final to it. Many fiftees not necessarily interest that the powers is final to be decided by calling the Environmental Probability of the Containments and probability of the Environmental Probability of the Environmental Probability of the Environmental Probability of the Environmental Probability of the partern to nothing water fields to containments in difficulty. Staffe Districts who persons, with cancer that paying chemotherapy, pressures who persons, with cancer that the paying chemotherapy, pressure who persons, with cancer that the paying chemotherapy, pressure who persons, with cancer that the paying chemotherapy that it is specified in the particularly at its system during, we considerly and manks and portional at the interest of the paying of the paying

report is being diplicated in the paper are will not be mailed the